

Web Results 1 - 50 of about 372 for server logging into the external email system as a proxy on behalf of the PTT message sender using the stored user ID and user password and forwarding the PTT message. (0.71 seconds)



Show options...

1. [Methods of transmitting a message to a message server in a push-to ...](#)

Because the **PTT system** is half-duplex, it is important to manage which ... A **PTT** access list is used by the end user as a means of controlling whois The **forwarding DVM sender** can then add an associated voice mail to the **forwarded** voice mail. ... In one embodiment, **DVM PoC server 410** is a **message store**. ... www.patentstorm.us/patents/7415284/description.html - [Similar](#)

2. [W3Gate — A Web access for outsiders - Elsevier](#)

For each request the HTTP Handler contacts a fixed **WWW proxy server** [16] (currently No authentication scheme like e.g. **user id** and **password** is supported. prefer **W3Gate** to put an **external reference** into the **message body** and to **store** the ... and **X.400** standardisation as expert of the German **PTT** since 1983. ... linkinghub.elsevier.com/retrieve/pii/S0169755296000840 - [Similar](#)
by M Bogen - 1996 - [Cited by 8](#) - [Related articles](#)

3. [Etisalat Internet Mail \(EIM\)](#)

1) Log on to <http://www.eimmail.ae> using your **user name** and **password**. ... 11) Response to **External Senders**. This is the **message** that is sent to **senders** who are not An **e-mail message** deleted locally is still on the **server**. ... **User ID:** username
2) Check your **email forwarding** settings from within the web mail ...
www.etisalat.ae/index.jsp?contentid...en... - [Cached](#) - [Similar](#)

4. [Glossary - P](#)

In the PAP authentication procedure, an **ID/password** pair is repeatedly sent by A **message** from a computer that gives instructions to the **user**. ... a management **system**, allowing management by **proxy** — that is, on **behalf** of the device. ... **PTT** (postal, telegraph and telephone) The national agency responsible for ...
www.gartner.com/6_help/glossary/GlossaryP.jsp - [Cached](#) - [Similar](#)

5. [RFC1392 - RFC-ED HOME](#)

By using the special **userid** of "anonymous" the network **user** will bypass local security a **store-and-forward** scheme whereby the **message** is received from one **system** **PTT** See: Postal, Telegraph and Telephone queue A backup of packets ... of a piece of **email** or a Usenet article which identifies the **sender**. ...
www.rfc-editor.org/rfc/rfc1392.txt - [Cached](#) - [Similar](#)

6. [draft-ietf-userglos-glossary-00 - Internet Users\ix27 Glossary](#)

By using the special **userid** of "anonymous" the network **user** will bypass local a **store-and-forward** scheme whereby the **message** is received from one **system** **PTT** See: Postal, Telegraph and Telephone Public Domain (PD) Intellectual ... of a piece of **email** or a Usenet article which identifies the **sender**. ...
tools.ietf.org/html/draft-ietf-userglos-glossary - [Cached](#) - [Similar](#)

7. [CREN - Technology Glossary](#)

By using the special userid of "anonymous" the network user will bypass local
store-and-forward scheme whereby the message is received from one system
completely before Outside the USA, PTT refers to a telephone service provider,
of a piece of email or a Usenet article which identifies the sender. ...
www.cren.net/crencal/glossary/crenglossary.html - [Cached](#) - [Similar](#)

8. [Axis 215 User's Manual](#)

Aug 14, 2008 ... Please enter your email address below to reset your password. A
log message will appear when battery replacement is required. If the page is not
in the cache, the proxy server, acting as a client on behalf of the user, 19 Push to
talk 15 Upgrade Server 33 UPnP 30, 32 User 27 User ...
www.scribd.com/doc/4754811/Axis-215-Users-Manual - [Cached](#) - [Similar](#)

9. [VCLglossary](#)

Message header that lists the set of methods supported by the user agent that
generates the Dial peer used for Store-and-Forward Fax and VoiceXML Voice
Store and Forward. PSK PSTN PTT PVC PVD M Q QAM Quadrature amplitude
modulation. Routes that have been manually provisioned into a proxy server. ...
www.scribd.com/doc/6340173/VCLglossary - [Cached](#) - [Similar](#)



[Show more results from www.scribd.com](#)

10. [\[PDF\] USER'S MANUAL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
report problems to Axis support by logging in to your private support detected by
the camera, using the push-to-talk button. The Simplex - Network Camera
microphone User Name and Password. HTTP Server. • Receives notification
messages also acts as a proxy server and a firewall server. A gateway ...
www.axis.com/files/manuals/um_q1755_35572_0905.pdf - [Similar](#)

11. [\[PDF\] USER'S MANUAL AXIS M1011 Network Camera AXIS 1011W Network Camera ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
report problems to Axis support by logging in to your private support page of your
Axis network camera if you push to talk, and you are only able to User Name and
Password. HTTP Server. • Receives notification messages using UPnP™. Note
that UPnP™ must be enabled in the camera (see System Options ...
www.axis.com/files/manuals/um_m1011_m1031_34147_0812.pdf - [Similar](#)



[Show more results from www.axis.com](#)

12. [Basics of All-IP Networking](#)

(user's password) as inputs. If User A sees that the hash value is to its original
sender; translation agent converts a message from AAA SIP Proxy service:
Proxy server forwards requests to the correct 2006 over a 3G network with new
exciting 3G services initially including push-to-talk, presence ...
www.springerlink.com/index/q123675216387617.pdf - [Similar](#)

13. [\[PDF\] InformaCast™ Installation and Use For a Cisco CallManager Express ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
The password can be found in the email from Berbee that contained the down- ...
"admin") to log in to the system until you create specific user accounts. To create
a Push to Talk message, follow the instructions in "Enter the Text Express
Server's administrative interface using the same username and ...

www.berbee.com/public/.../InformaCast-4_2_1-CME.pdf - [Similar](#)

14. [\[PDF\] Network Working Group G. Malkin](#)

File Format: PDF/Adobe Acrobat - [View](#)

without having to establish a **userid** and **password**. By using the special **userid** of "anonymous" the network mail and file transfer services, using a **store-and-forward** **user** to another. This **system** of email addressing has been used Outside the USA, **PTT** refers to a telephone service provider, which ... www.faqs.org/ftp/rfc/pdf/rfc1392.txt.pdf - [Similar](#)

15. [\[PDF\] Oracle Communications and Mobility Server](#)

File Format: PDF/Adobe Acrobat

Push to Talk applications, including **Push to Talk over Cellular (PoC)** ... a combination **Proxy** and **Registrar server**, and a **SIP message routing server**. An **Dial-In User Service**) protocol to **store user passwords**. Note: This upgrade is only performed after users **log into** the new ... www.oracle.com/technology/products/ocpl.../ocms_administration.pdf - [Similar](#)

16. [G](#)

Gdm allows you to **log into** your **system** with the X Window **System** running and SQL-based vfolder **email system**, using **MySQL** as its back-end database, list * **Message History per user** * Chat * Icon and Color Based on Status of User program using the sound card and optionally serial port to **PTT** the RIG. ... oss.sgi.com/LDP/LDP/Linux-Dictionary/html/g.html - [Cached](#) - [Similar](#)

17. [Cisco IOS Voice Configuration Library Glossary \[Support\] - Cisco ...](#)

Message header that lists the set of methods supported by the **user agent** that generates Dial peer used for **Store-and-Forward Fax** and **VoiceXML Voice Store and Forward**. Protocol that controls VoIP gateways using an external call control Routes that have been manually provisioned into a **proxy server**. ... www.cisco.com/en/US/docs/ios/12.../VCLgloss.html - [Cached](#) - [Similar](#)

18. [G](#)

Gdm allows you to **log into** your **system** with the X Window **System** running and SQL-based vfolder **email system**, using **MySQL** as its back-end database, **Message History per user** * Chat * Icon and Color Based on Status of User mode program using the sound card and optionally serial port to **PTT** the RIG. ... computerdictionary.tsf.org.za/dictionary/terms/g.html - [Cached](#) - [Similar](#)

19. [HyperRFC: file rfc1983.txt](#)

By using the special **userid** of "anonymous" the network **user** will bypass local security a **store-and-forward** scheme whereby the **message** is received from one **system** **PTT** See: Postal, Telegraph and Telephone queue A backup of packets ... of a piece of **email** or a Usenet article which identifies the **sender**. ... www.sonycs1.co.jp/cgi-bin/hyperrfc/rfc1983.txt - [Cached](#) - [Similar](#)

20. [Telepocalypse by Martin Geddes: July 2005 Archives](#)

A next-generation **email system** might ever write back to **senders** "Martin's busy ... "Your **email** wasn't read while Martin was away, is this **message** still relevant? to **push to talk**, to IM and then down to **store-and-forward email**. Opt the **user** back into accepting email offers when re-displaying the form. ... www.telepocalypse.net/archives/2005_07.html - [Cached](#) - [Similar](#)

21. [Documentos - RAU](#)

By using the special userid of "anonymous" the network user will bypass local a store-and-forward scheme whereby the message is received from one system Postal Telegraph and Telephone (PTT): Outside the USA, PTT refers to a bottom of a piece of email or a Usenet article which identifies the sender. ...
www.rau.edu.uy/docs/rfcs/fyi18.htm - [Cached](#) - [Similar](#)

22. [PDF] [Interoperable Catalogue System \(ICS\) System Design Document \(SDD\)](#)

File Format: PDF/Adobe Acrobat
link together agencies using the CIP protocol. This macro system is called the Interoperable It is the PTT activity to interpret those requirements into the ICS Guide Index sends this message to ICS Guide Server when it has Guide Proxy: A software agent that acts on behalf of a user. ...
wgiss.ceos.org/ics/documents/ics/icssdd14.pdf - [Similar](#)

23. [Mobile Location Services](#)

other functions, MOM provides the critical store-and-forward function of Email server. User. LDAP server. Security system. JSP/Servlets ... a WAP PUSH message, using anchor tags (hyperlinks) to enable the user to the next passer-by is even more plausible, perhaps an addendum to push to talk services. ...
doi.wiley.com/10.1002/0470870524.ch13 - [Similar](#)

24. [PDF] [AXIS 215 PTZ Network Camera User's Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
report problems to Axis support staff by logging in to your private support Note that the push-to-talk button is configured from AMC, see AXIS Media Control, on page 9. Proxy User Name and Password (if required). TCP Server an error message as the result of this test, contact Axis Customer ...
www.eurox10.com/.../10ce98a2-381c-4e53-82a3-c27d0cd3fae5.htm - [Similar](#)

25. [PDF] [Contents](#)

File Format: Microsoft Word - [View as HTML](#)
note: The physical medium can vary along path (eg: e-mail message originates on a LAN, ... alternate carriers, post-telephone, & telegraph (PTT) agencies. Using a user interface to a router, you can: Login with a user password You must log into the router before you can enter an EXEC command. ...
www.andrewnoske.com/student/.../cp2230_cisco_sem2_summary.doc - [Similar](#)

26. [PDF] [i530 User Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Press the PTT button to make a Direct Connect call to the sender. With the # field (or ID for an email address, or IP plays and saves new messages when you log in. To ... Nextel Voice Mail service will refer to this message User Busy in Data. The phone that you called is busy using Nextel ...
nextelonline.nextel.com/assets/pdfs/en/support/guides/.../ug.pdf - [Similar](#)

27. [PDF] [INTERNET PROTOCOLTELEPHONY & VOICE OVER INTERNET PROTOCOL SECURITY ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Apr 21, 2006 ... Added ALG, C2VG, FCP, FNBDT, HAIPIS, NID, NIDS, PTT, RTP, STU, SVoIP, VoSIP, message directly to this resolved address. The redirect server The use of MAC security will greatly reduce the risk of a user connecting an is configured to interact with a legacy corporate email system ...
iase.disa.mil/stigs/stig/VoIP-STIG-V2R2.pdf - [Similar](#)

28. [PDF] [Word Pro - 8307D01.lwp](#)

File Format: PDF/Adobe Acrobat

For example, if a **user** is performing a task in a window and a **message** appears, or the An IBM licensed program that receives jobs into the **system** and Post Telephone and Telegraph Administration (**PTT**) n. **user ID**, **user name**, **password**, access authority, and other attributes obtained at logon. 2. n. ...
www-03.ibm.com/ibm/history/documents/pdf/glossary.pdf - [Similar](#)

29. [FBMC Glossary](#)

The **store-and-forward** element of an **email system**. The end **user** element is a **UA** (**User Agent**). It is now possible to support **push-to-talk** using packet radio services such **SME**: Short **Message Entity** - a **SMS** sender or recipient. the way from mobile client to **server** - although an intermediate **proxy** is ...
www.flying-boat.co.uk/glossary/ - [Cached](#) - [Similar](#)

30. [Projects - Listing by Country](#)

System administrator defines the **user** and assigns the **user-id** and **password**. By **Logging into** the website, customer can place the order of his choice by on various forums) a secure **push to talk** can surely be developed. ... Instant **message** passing **using** session initiation protocol with the java API. ...
community.java.net/projects/country.csp?region=apac - [Cached](#) - [Similar](#)

31. [ZyXEL Podpora - Slovníček pojmů](#)

The **user's** name and **password** are sent over the wire to a **server** where they are **PTT** is a generic European name that usually refers to state-owned Syslog logging sends a log to an **external** (syslog) **server** used to store or **server** on behalf of the multicast hosts connected to the IGMP **proxy** device. ...
www.zyxel.cz/web/support_glossary.php - [Cached](#) - [Similar](#)

32. [\[PDF\] BlackBerry Enterprise Server](#)

File Format: PDF/Adobe Acrobat - View as HTML
Enterprise Location Tracking **User Prompt Message** Your location is ... See the BlackBerry Enterprise **Server System** Administration Guide for more information on how to create an IT **PTT**. Specify whether or not. Kodiak Instant Calling™ , **user** for their key **store password** each time an application tries ...
www.blackberry.com/.../BlackBerry_Enterprise_Server_Policy_Reference_Guide.pdf - [Similar](#)

33. [Jean's Blog](#)

boot **system** tftp - tells router which IOS file on the tftp **server** to boot from r Reply Reply to the **message sender**. + r allows you to reply to a **message** in a new window. Manufactor Product Revision Protocol **User ID Password** Access comment adtran Agent Card Telnet n/a ADTRAN Admin ctrl-**PTT** ...
www.irintech.com/x1/categ.php?cat=Internet - [Cached](#) - [Similar](#)

34. [\[PDF\] SDX 6.4.x Solutions Guide](#)

File Format: PDF/Adobe Acrobat
Hashed **Message Authentication Code** using a **Message Digest** 5 key Log in to the IPTV **server** as a static interface **user** on the JUNOS routing ... online gaming, and to take advantage of functionality such as **Push-to-Talk** over the prepaid services demo, data is stored on the local file **system**; in a real ...
www.juniper.net/techpubs/software/.../sdx/.../sw-sdx-solutions.pdf - [Similar](#)

35. [\[PDF\] Oracle Communications and Mobility Server](#)

File Format: PDF/Adobe Acrobat
Managing the SIP **Server**. ■ Configuring the **Logging System** **Push to Talk** applications, including **Push to Talk** over Cellular (PoC) **Proxy Registrar** looks up

the **user's** current contact information using either the authentication and places this field **into the message** header which it passes to other ...
download.oracle.com/docs/cd/B32110_01/ocms.../b31497.pdf - [Similar](#)

36. [Avaya IP Office 3 >> VOIP Phone System](#)

Voice **messages** can be can be copied **into email messages** and delivered into
Push-to-talk (walkie-talkie) feature for broadcast communications Display a text **message** on the **user's** phone and IP Office Phone Manager Support for **Proxy** Address Resolution Protocol allows IP Office to respond on **behalf** ...
www.telephonesonline.com.au/.../Avaya_ip_office_phone_system.htm - [Similar](#)

37. [Downloaded form http://www.laynetworks.com : solutions@laynetworks ...](#)

BCOB-A Bearer Class A: Indicated by ATM end **user** in SETUP **message** for An Edge Device obtains **forwarding** descriptions using the route distribution protocol.
FTP A file-transfer program that enables you to **log in** to another TELEPAC The Swiss **PTT** X.25 X.25 Network. TeleScript An object-oriented ...
www.laynetworks.com/download/all.txt - [Cached](#) - [Similar](#)

38. [LAWTECH GURU BLOG by Jeff Beard: Mobile Tech & Gadgets Archives](#)

"Adding to the addition is the fact that the average **e-mail user** had 2.8 **e-mail**
Possibly also **push-to-talk**." From Gizmodo, "Looks like no Treo 600 That's because the **sender** types the **message** into the name field. Instead, the browser first contacts a separate **proxy server** (usually run by the ...
www.lawtechguru.com/archives/mobile_tech_gadgets.html - [Cached](#) - [Similar](#)

39. [\[PDF\] Summit WM-Series WLAN Switch and Altitude Access Point Software ...](#)

File Format: PDF/Adobe Acrobat
If the RADIUS server sends an "access-accept" **message** to the Summit WM-Series Switch, The wireless device **user** must input an **ID** and a **Password**. The files are stored in the operating **system** and have a maximum size of 1 GB. A **PTT** call is initiated by selecting a channel and pressing the "talk" ...
www.extremenetworks.com/libraries/services/SummitWM_UG.pdf - [Similar](#)

40. [Text 525 KB - Sun Managers Mailing List](#)

The **logging** device to which the UFS transactions are initially stored is a separate Bye P.N.Badri narayanan Note: **forwarded message** attached. whoracle at dialup.ptt.ru Wed May 8 01:24:52 2002 From: whoracle at dialup.ptt.ru If you are successful at rebooting the machine **into** single-user mode, ...
www.sunmanagers.org/pipermail/summaries/2002-May.txt - [Cached](#) - [Similar](#)

41. [Plaxo's Personal Card: Plaxo Archives](#)

phones with wifi, phones running linux, more phones with **push-to-talk** and The CTC adds a personal touch to **emails** by displaying the **sender's** Plaxo photo The **user** selects when, to whom, and the personalize **message** content of the To see if any of your contacts are online, **log into** your Plaxo Online ...
blog.plaxo.com/archives/plaxo/ - [Cached](#) - [Similar](#)

42. [ZyXEL Support & Downloads Glossary](#)

The **user's** name and **password** are sent over the wire to a **server** where they are
PTT is a generic European name that usually refers to state-owned s **message** digest that was calculated **using** the MD5 algorithm. Syslog **logging** sends a **log** to an **external** (syslog) **server** used to store and analyze logs. ...
www.zyxel.co.th/web/support_glossary.php - [Cached](#) - [Similar](#)

43. [Date: Thu, 28 Mar 1996 22:01:29 +0000 Reply-To: Web Development ...](#)

COM> at UNIXGTWY Date: 3/29/96 5:20 PM This is a **forwarded message** from:
COM> From: Pol Syrtsov <pol@ptt.chel.su> Organization: JS PTT You could
have the page **user-id** and/or **password** set for one thing when the page is What
about GNN and **proxy**?? Can I install a **proxy server** without products of ...
aolserver-archive.cleverly.com/GNNDEVELOPER-L.LOG9604.txt - [Cached](#) - [Similar](#)

44. [\[PDF\] Isode General Services Administration Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Directory **Server** Properties dialog (to manage Directory **Server** logging configuration)
or EMMA's **Message** **system** logger stderr: print to stderr as well pid: include
process ID. managed by a public service provider such as a **PTT** authority.
MTS or a **Message Store**, to submit **messages** for a single **user**. ...
www.isode.com/Documentation/GENSERV.pdf - [Similar](#)

45. [Cover Pages: SGML and XML News 2004 Q2](#)

When configured to issue security context tokens, a SOAP **message sender** can use
the [May 13, 2004] W3C Releases Candidate Recommendation for CSS3 Basic
User [April 16, 2004] Java **System** Application **Server** Platform Edition 8 being
implemented in **Push-to-Talk (PTT)** and geolocation applications, ...
xml.coverpages.org/news2004Q2.html - [Cached](#) - [Similar](#)

46. [\[PDF\] BlackBerry Enterprise Server](#)

File Format: PDF/Adobe Acrobat
Disable Kodiak **PTT**. False. 4.0.6. Device IOT Application. Device Diagnostic App
Disable all **email messages** that the **user** composes and sends using the
permit the **user** to access an **external file system**. Disable **Message**. Normal
Send **user** for their key store **password** each time an application tries ...
blackberry.interchange group.com/BES_Policy_Reference_Guide.pdf - [Similar](#)

47. [System](#), method and article of manufacture for a communication ...

User fills in the Login Screen fields—**User Id** and Passcode. **Forwarding of**
emails to a fax machine does not result in the **message** being deleted from the
The Object **Server** delivers the stored multimedia content to the **proxy** client upon
Telecommunications **PTT** Cards-The 23 digits, or less, of the ...
www.freepatentsonline.com/6909708.html - [Similar](#)
by S Krishnaswamy - 2005 - [Cited by 10](#) - [Related articles](#)

48. [\[PDF\] Information Security Management Handbook 2009](#)


File Format: PDF/Adobe Acrobat
This site may harm your computer.
Application **proxy**—A type of firewall that controls **external** access by Web site to
store information on a **user's** machine and later retrieve it. Mail relay **server**—An
e-mail server that relays **messages** where neither the **sender** Voice mail—An **e-**
mail system that allows a regular voice **message** to be ...
www.infosectoday.com/Articles/Glossary.pdf - [Similar](#)

49. [\[PDF\] Unclassified DSTI/CP/ICCP/SPAM\(2005\)3/FINAL Task Force on Spam ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
SPF and **Sender-ID** can be used to test whether an **e-mail server** is These filters
carry the risk that a **message** using spammer techniques ce **spectacular messages**
in comprehensive anti-spam strategy must take **into** account the end-user,
recently to **log into** the email account. Using this IP address, ...
www.oecd.org/dataoecd/63/28/36494147.pdf - [Similar](#)
by EO English - [Related articles](#) - [All 3 versions](#)

50. [Internet Telephony Magazine April 2005](#)

You can screen the call, take the call, or send an instant **message** — your The **user credentials** — **username** and **password**, depending on the security level All the hardening rules that apply to any other business system server should ... publish 'push to talk' links to Web site, documents, etc • e-mail ...
[www.docstoc.com/.../Internet-Telephony-Magazine-April-2005](#) - [Cached](#) - [Similar](#)



[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)